

Lab Notes for RIV MOOC

- SDN with ONOS

ONOS and mininet are the most stable solution for testing SDN in the Lab VM.

- Installing ONOS via docker is straightforward

```
sudo apt-get update
sudo apt-get install apt-transport-https ca-certificates gnupg-
agent software-properties-common
wget https://download.docker.com/linux/ubuntu/gpg
apt-key add gpg
sudo apt-key fingerprint 0EBFCD88
sudo add-apt-repository "deb [arch=amd64]
https://download.docker.com/linux/ubuntu \
$(lsb_release -cs) \
stable"
apt update
sudo apt-get install docker-ce docker-ce-cli containerd.io
docker pull onosproject/onos
```

- Start mininet (use OpenFlow10 for compatibility with ovectl commands)

```
sudo mn --topo tree,2 --mac --switch ovsk,protocols=OpenFlow13 --controller
remote,ip=172.17.0.2
```

- Start ONOS as specified in <https://wiki.onosproject.org/display/ONOS/Single+Instance+Docker+deployment> and make sure to activate the following apps:

* 8	org.onosproject.drivers	2.4.0.SNAPSHOT	Default Drivers
* 26	org.onosproject.optical-model	2.4.0.SNAPSHOT	Optical Network Model
* 27	org.onosproject.openflow-base	2.4.0.SNAPSHOT	OpenFlow Base Provider
* 57	org.onosproject.netcfgghostprovider	2.4.0.SNAPSHOT	Network Config Host Provider
* 60	org.onosproject.lldpprovider	2.4.0.SNAPSHOT	LLDP Link Provider
* 61	org.onosproject.hostprovider	2.4.0.SNAPSHOT	Host Location Provider
* 75	org.onosproject.openflow	2.4.0.SNAPSHOT	OpenFlow Provider Suite
* 107	org.onosproject.gui2	2.4.0.SNAPSHOT	ONOS GUI2
* 136	org.onosproject.proxyarp	2.4.0.SNAPSHOT	Proxy ARP/NDP
* 158	org.onosproject.fwd	2.4.0.SNAPSHOT	Reactive Forwarding

- For example use: (password karaf)

```
docker run -t -d -p 8181:8181 -p 8101:8101 -p 5005:5005 -p 830:830 --name
onos onosproject/onos
docker exec -it onos /bin/bash
apt update
apt install openssh-server
ssh -p 8101 -o StrictHostKeyChecking=no karaf@localhost
```

- Check the GUI (login: onos, password: rocks) at <http://172.17.0.2:8181/onos/ui/#/topo2>
- Activate reactive forwarding:

```
app activate org.onosproject.fwd
```

- Or play with intents <https://wiki.onosproject.org/display/ONOS/Basic+ONOS+Tutorial>:

```
add-host-intent 00:00:00:00:00:01/None 00:00:00:00:00:04/None
```



- Play with ONOS and mininet
- Explore openflow or openvswitch
- Study intents and reactive routing
- Interconnect with iBGP speaker (sdn-ip)
- Explore VPLS or VxLAN

- Routing with FRR

The lab environment is based on <http://docs.frrouting.org/projects/dev-guide/en/latest/topotests.html>. Topotests is a suite of topology tests for FRR built on top of Mininet.

```
cd /home/user/frr/tests/topotests
sudo pytest -s --topology-only mooc-lab1/mooc-lab1.py
```

- Examples of adding MPLS encapsulation:

```
on r1
ip route add 3.3.3.3/32 encap mpls 50000/8300 via 10.0.5.5 dev r1-eth1

on r3
ip route add 1.1.1.1/32 encap mpls 50000/8100 via 10.0.3.4 dev r3-eth1
```

- `mooc-lab2` implements Segment Routing
<http://docs.frrouting.org/projects/dev-guide/en/latest/ospf-sr.html>.

What works in the current platform:

- IPv4 and IPv6 [tested]
- OSPF and BGP [tested]
- MPLS and LDP [tested] (with linux kernel, all features are accessible)
- Segment Routing! [tested with node-sid et OSPF opaque LSA]



- Think about updating FRR to get latest Segment routing features
<http://docs.frrouting.org/en/latest/pathd.html>. PATH is a daemon that handles the installation and deletion of Segment Routing (SR) Policies.

From:

<http://wiki.lahoud.fr/> - **wikiroute**

Permanent link:

<http://wiki.lahoud.fr/doku.php?id=mooc-riv-labs&rev=1629797725>

Last update: **2021/08/24 11:35**

